

CRP Series Automatic Continuous Rolling Vacuum Packaging Machine

INTRODUCTION

WINTRUE Model CRP Series Automatic Continuous Rolling Vacuum Packaging Machine is to use its vacuum chamber to evacuate the packaging to achieve the purpose of extending the shelf life. It employs the advanced electrical control and excellent braking device, the chain drives the conveyor belt to work, automatically swings the cover, and continuously outputs the finished products. The whole machine adopts waterproof and moisture-proof computer board control, the operating system is fully sealed, and the whole machine can be rinsed with water. This machine works with automatic lid swinging. Specifically, when the chain advances, it drives the conveyor belt to move forward, and the products can be placed on the conveyor belt to continuously output products.



APPLICATION

The application field of vacuum packaging machine is based on plastic or plastic aluminum foil film as packaging material, which is used for all kinds of raw and cooked meat, aquatic products, various frozen products, fruits, native products, medicinal materials, chemicals, equipment, clothing, hardware products, electronic components vacuum packaging of various solids and liquids. It can vacuum-pack multiple packages of larger individual substances at one time. It is a large-package and high capacity model. It is suitable for vacuum packaging of various products, pickles, chicken products, seafood, frozen products, and meat products such as sausages and sausages. It can also pack medical consumables such as masks, protective clothing, and disinfection tablets.



Meats



Vegetables



Grains




Circuit Board

FEATURES

- The whole machine is made of all stainless steel, the countertop is made of 8 mm stainless steel.
- The operating system is fully sealed, and the whole machine can be rinsed with water.
- The whole machine can be tilted at four angles to meet various packaging requirements.
- Frequency conversion belt, slow start and slow stop conveying device, reliable positioning.
- Improved transformer and heating body, the isolation cloth is easy to replace, the service life is longer, and the sealing is more beautiful and reliable. Equipped with imported special M type 8 mm double bee heating strips, equipped with high temperature cloth imported from South Korea.
- Single-person operation, low labor intensity can realize streamlined operation.
- With fault detection function, accurately eliminate faults and improve work effectiveness.
- Designed to meet CE requirements
- Built-in powerful EUROVAC vacuum pump

Product Details



SPECIFICATIONS

Model	CRP Series
# of seal bars	2 pcs
Effective Sealing Size(mm)	1100X8
Chamber Size (LxWxH mm)	1220X460X100
Seal Speed	240~360 times/h (depending on products)
Vacuum Pump	Eurovac 200
Electrical	380V, 3PH, 50HZ, 8KW
Dimensions (LxWxH mm)	2000X1400X1360mm
Machine Weight(kg)	Approx. 600
Consumables	Vacuum pump oil, electric heating strip, adhesive tape, high temperature cloth

Warranty & Package

Warranty: 24 months from B/L date

Package: International Standard Veneer Case

Contact Us Today:



JINAN WINTRUE MACHINERY CO., LTD

Jinan City/ Shandong Province/ China

Cell / WhatsApp: +86 13806408399

WeChat: +86 13806408399

info@jnyctech.com

www.wintruemachinery.com